


# Accessories

FOR ENDOVASCULAR GRAFT PROCEDURES





# Contents

## **4** WIRE GUIDES

- 5 Lunderquist® Wire Guides
- 5 Lunderquist DC Wire Guides
- 6 Amplatz Ultra Stiff Wire Guides
- 7 Rosen Curved Wire Guides
- 8 Roadrunner® PC Wire Guides – Nimble®, The Firm™
- 9 HiWire® Hydrophilic Wire Guides

## **10** INTRODUCERS

- 11 Flexor Check-Flo® Introducers – With High Flex Dilator
- 12 Large Check-Flo Introducers
- 13 Extra Large Check-Flo Introducers
- 14 Check-Flo Performer® Introducer Sets
- 15 Flexor® Keller-Timmermans Introducers
- 15 Keller-Timmermans Introducers

## **16** CATHETERS

- 17 Aurous® Centimeter Sizing Catheter
- 18 Beacon® Tip Van Schie Seeking Catheters
- 19 Van Schie Over-The-Top Catheters
- 20 Beacon Tip Royal Flush® Plus High-Flow Angiographic Flush Catheters
- 21 Beacon Tip Angiographic Catheters

## **22** EMBOLIZATION

- 23 Nester® Embolization Coils – Platinum
- 24 Tornado® Embolization Coils – Platinum
- 25 Coda® Balloon Catheters

## **26** DILATOR SET

- 26 Endovascular Dilator Set


## **27** ACCESS NEEDLE

- 27 Percutaneous Entry Thinwall Needle – One-Part

# WIRE GUIDES

Wire guides navigate tortuous anatomy while offering support to the aorta and iliac vessels during the deployment and advancement of endovascular grafts and accessories used in endovascular aortic repair (EVAR).





## Lunderquist

### WIRE GUIDES

This device is intended for complex diagnostic and interventional procedures where increased body, flexibility, and low surface friction of the wire guide are needed. Packaged five wire guides to a box in the U.S.

Global Product Number	Order Number	Diameter inch	Length cm	Flexible Tip Length cm	Coil Length cm	Tip Curve Radius mm
<b>Straight Exchange – TFE Coated Stainless Steel</b>						
G31453	TSMG-35-260-LES	.035	260	4	15	Straight
G45352	TSMG-35-300-LES	.035	300	4	15	Straight
<b>Curved Exchange – TFE Coated Stainless Steel</b>						
G45353	TSCMG-35-260-7-LES	.035	260	4	15	7.5
G45407	TSCMG-35-300-7-LES	.035	300	4	15	7.5

## Lunderquist

### DC WIRE GUIDES

This device is intended for complex diagnostic and interventional procedures where increased body, flexibility, and low surface friction of the wire guide are needed. Packaged five wire guides to a box in the U.S.

Global Product Number	Order Number	Diameter inch	Length cm	Flexible Tip Length cm	Coil Length cm	Tip Curve Radius mm
<b>Double Curved Exchange – TFE Coated Stainless Steel</b>						
G45208	TSCMG-35-260-LESDC	.035	260	4	75	15
G45408	TSCMG-35-300-LESDC	.035	300	4	75	15





# Amplatz

## ULTRA STIFF WIRE GUIDES

Used for interventional cardiovascular procedures, interventional biliary drainage, abscess drainage, urology procedures and catheter exchanges.

Global Product Number	Order Number	Diameter inch	Length cm	Flexible Tip Length cm	Tip Curve Radius mm	Taper Length cm
<b>Straight Exchange</b>						
G19854	THSF-35-260-AUS2	.035	260	7	Straight	14
G20136	THSF-38-260-AUS2	.038	260	7	Straight	14
<b>Curved Exchange</b>						
G20320	THSCF-35-260-3-AUS2	.035	260	7	3	14
G20454	THSCF-38-260-3-AUS2	.038	260	7	3	14





## Rosen

### CURVED WIRE GUIDES

Used for angioplasty catheter exchange.

Global Product Number	Order Number	Diameter inch	Length cm	Tip Curve Radius mm
<b>Curved</b>				
<b>TFE Coated Stainless Steel</b>				
G01774	THSCF-35-80-1.5-ROSEN	.035	80	1.5
G01261	THSCF-35-145-1.5-ROSEN	.035	145	1.5
G01264	THSCF-35-180-1.5-ROSEN	.035	180	1.5
<b>TFE Coated Stainless Steel with Heparin Coating</b>				
G01382	THSCF-35-145-1.5-ROSEN-BH	.035	145	1.5
G01428	THSCF-35-180-1.5-ROSEN-BH	.035	180	1.5
<b>Exchange – Curved</b>				
<b>TFE Coated Stainless Steel</b>				
G01623	THSCF-35-220-1.5-ROSEN	.035	220	1.5
G01253	THSCF-35-260-1.5-ROSEN	.035	260	1.5
<b>TFE Coated Stainless Steel with Heparin Coating</b>				
G02246	THSCF-35-260-1.5-ROSEN-BH	.035	260	1.5






## Roadrunner PC

NIMBLE, THE FIRM WIRE GUIDES

Used for complex diagnostic and interventional procedures.

Global Product Number	Order Number	Diameter inch	Length cm	Tip Configuration
<b>NIMBLE</b> – Short taper, flexible shaft with plastic coated nitinol core and AQ® hydrophilic coating				
G09607	RFSPC-35-145	.035	145	angled
G09608	RFSPC-35-180	.035	180	angled
<b>Exchange</b> – Short taper, flexible shaft with plastic coated nitinol core and AQ hydrophilic coating				
G09609	RFSPC-35-260	.035	260	angled
<b>THE FIRM</b> – Standard taper, stiff shaft with plastic coated nitinol core and AQ hydrophilic coating				
G06979	RPC-35-145	.035	145	angled
G07518	RPC-35-180	.035	180	angled
<b>Exchange</b> – Standard taper, stiff shaft with plastic coated nitinol core and AQ hydrophilic coating				
G09105	RPC-35-260	.035	260	angled





## HiWire

### HYDROPHILIC WIRE GUIDES


Used to facilitate the placement of devices during diagnostic and interventional procedures.


Global Product Number	Order Number	Diameter inch	Length cm	Tip Configuration
<b>Stiff Shaft</b>				
G36290	HWS-35-150	.035	150	angled
G36291	HWS-35-150	.035	150	straight



# INTRODUCERS

Introducers facilitate endovascular graft placement by providing continual vessel access while maintaining hemostasis.





## Flexor Check-Flo

INTRODUCERS WITH HIGH-FLEX DILATOR, AQ HYDROPHILIC COATING AND RADIOPAQUE BAND

Used to introduce balloon, closed and non-tapered end catheters and other devices for intervention.

Global Product Number	Order Number	*Introducer Inner Diameter Fr/mm	*Introducer Outer Diameter Fr/mm	Accepts Wire Guide Diameter inch/mm	Sheath Length cm	Curve
<b>Standard Without Wire Guide</b>						
G49043	KCFW-7.0-35-55-RB-HFANL1-HC	7.0/2.54	8.8/2.95	.035/0.89	55	ANL1
G49044	KCFW-7.0-35-110-RB-HFANL1-HC	7.0/2.54	8.8/2.95	.035/0.89	110	ANL1
G49045	KCFW-8.0-35-55-RB-HFANL1-HC	8.0/2.87	9.8/3.28	.035/0.89	55	ANL1
G49046	KCFW-8.0-35-110-RB-HFANL1-HC	8.0/2.87	9.8/3.28	.035/0.89	110	ANL1
G47700	KCFW-10.0-35-45-RB-HFANL1-HC	10.0/3.40	11.4/3.81	.035/0.89	45	ANL1
G47701	KCFW-12.0-35-45-RB-HFANL1-HC	12.0/4.11	13.4/4.47	.035/0.89	45	ANL1

\*Determine the maximum diameter of the instrument or catheter to be introduced to ensure its passage through the sheath.





## Large Check-Flo


### INTRODUCERS WITH RADIOPAQUE BAND

Used to introduce balloon, closed and non-tapered end catheters and other devices for intervention.

Global Product Number	Order Number	*Introducer French Size	Accepts Wire Guide Diameter inch	Sheath Length cm	Dilator Length cm
G09691	RCFW-16.0P-38-30-RB	16.0	.038	30	42
G27023	RCFW-16.0P-38-35-RB	16.0	.038	35	47
G09582	RCFW-16.0P-38-70-RB	16.0	.038	70	82
G11672	RCFW-18.0P-38-30-RB	18.0	.038	30	42
G10626	RCFW-18.0P-38-40-RB	18.0	.038	40	52
G27025	RCFW-18.0P-38-85-RB	18.0	.038	85	97

\*Determine the maximum diameter of the instrument or catheter to be introduced to ensure its passage through the sheath.





## Extra Large Check-Flo

### INTRODUCERS

Used to introduce large devices for vascular intervention.

Global Product Number	Order Number	*Introducer French Size	Accepts Wire Guide Diameter inch	Sheath Length cm	Dilator Length cm
G12830	XVCFW-20.0-35-40	20.0	.035	40	56
G12834	XVCFW-20.0-35-65	20.0	.035	65	81
G12831	XVCFW-22.0-35-25	22.0	.035	25	41
G12832	XVCFW-22.0-35-65	22.0	.035	65	81
G12833	XVCFW-24.0-35-65	24.0	.035	65	81

\*Determine the maximum diameter of the instrument or catheter to be introduced to ensure its passage through the sheath.





## Check-Flo Performer


### INTRODUCER SETS

Used to introduce balloon, electrode, closed or non-tapered end and other catheters.

Global Product Number	Order Number	*Introducer French Size	Accepts Wire Guide Diameter inch	Wire Guide Type	Sheath Length cm	Dilator Length cm
<b>Standard</b>						
G07605	RCF-5.0-35-J	5.0	.035	J	13	20
G07376	RCF-6.0-35-J	6.0	.035	J	13	20
G07377	RCF-7.0-35-J	7.0	.035	J	13	20
G07487	RCF-5.0-38-J	5.0	.038	J	13	20
G07337	RCF-6.0-38-J	6.0	.038	J	13	20
G07338	RCF-7.0-38-J	7.0	.038	J	13	20
G07490	RCF-8.0-38-J	8.0	.038	J	13	20
<b>Standard Without Wire Guide</b>						
G07427	RCFW-5.0-35	5.0	.035		13	20
G07428	RCFW-5.0-38	5.0	.038		13	20
G07548	RCFW-5.5-38	5.5	.038		13	20
G07420	RCFW-6.0-38	6.0	.038		13	20
G07431	RCFW-7.0-38	7.0	.038		13	20
G07432	RCFW-8.0-38	8.0	.038		13	20
<b>Standard With Radiopaque Band Without Wire Guide</b>						
G08452	RCFW-5.0-35-RB	5.0	.035		13	20
G07919	RCFW-6.0-35-RB	6.0	.035		13	20
G09118	RCFW-7.0-35-RB	7.0	.035		13	20

\*Determine the maximum diameter of the instrument or catheter to be introduced to ensure its passage through the sheath.





## Flexor Keller-Timmermans

INTRODUCERS WITH AQ HYDROPHILIC COATING AND RADIOPAQUE BAND

Used to introduce balloon, closed and non-tapered end catheters and other devices.

Global Product Number	Order Number	*Introducer French Size	Accepts Wire Guide Diameter inch	Sheath Length cm
<b>Straight Exchange</b>				
G43897	KSSW-22.0-38-65-O-KTI-HC	22.0	.038	65
G43898	KSSW-24.0-38-65-O-KTI-HC	24.0	.038	65

\*Determine the maximum diameter of the instrument or catheter to be introduced to ensure its passage through the sheath.

## Keller-Timmermans

INTRODUCERS

Used to introduce balloon, closed and non-tapered end catheters and other devices.


Global Product Number	Order Number	*Introducer French Size	Accepts Wire Guide Diameter inch	Sheath Length cm
<b>Straight</b>				
<b>Wire Guide Not Included</b>				
G09965	VSSW-18.0-38-65-0-KTI	18.0	.038	65
G27051	VSSW-20.0-38-65-0-KTI	20.0	.038	65
G09790	VSSW-22.0-38-65-0-KTI	22.0	.038	65
G09791	VSSW-24.0-38-65-0-KTI	24.0	.038	65
<b>Curved</b>				
<b>Wire Guide Not Included</b>				
G09786	VSSW-22.0-38-85-C-KTI	22.0	.038	85
G09787	VSSW-24.0-38-85-C-KTI	24.0	.038	85

\*Determine the maximum diameter of the instrument or catheter to be introduced to ensure its passage through the sheath.



# CATHETERS

Diagnostic catheters determine anatomical measurements, locate and select specific vessels, advance and precisely position endovascular devices and cannulate limbs of endovascular grafts.






## Aurous

### CENTIMETER SIZING CATHETER

Used to determine accurate sizing of vessel lumen prior to aortic graft surgery, angioplasty, embolization and other interventional procedures.

Global Product Number	Order Number	French Size	Accepts Wire Guide Diameter inch	Length cm	Sideport	Measure Interval
<b>Pigtail</b>						
G31216	NR5.0-35-100-P-10S-PIG-CSC-20	5.0	.035	100	10	20 - 1 cm segments
G31215	NR5.0-35-70-P-10S-PIG-CSC-20	5.0	.035	70	10	20 - 1 cm segments
<b>Straight</b>						
G31213	NR5.0-35-70-P-10S-0-CSC-20	5.0	.035	70	10	20 - 1 cm segments





## Beacon Tip Van Schie

### SEEKING CATHETERS

Used for catheterization of bifurcated endoluminal AAA stent grafts.

Global Product Number	Order Number	French Size	Accepts Wire Guide Diameter inch	Length cm
G13795	HNBR5.0-35-65-P-NS-VANSCHIE1	5.0	.035	65
G13794	HNBR5.0-35-65-P-NS-VANSCHIE2	5.0	.035	65
G13792	HNBR5.0-35-65-P-NS-VANSCHIE3	5.0	.035	65
G13783	HNBR5.0-35-65-P-NS-VANSCHIE4	5.0	.035	65
G13793	HNBR5.0-35-65-P-NS-VANSCHIE5	5.0	.035	65





## Van Schie

### OVER-THE-TOP CATHETERS

Used for intraprocedural angiography.

Global Product Number	Order Number	French Size	Wire Guide Diameter inch	Length cm	Sideports	Tip Configuration
G43342	HN8.0-35-80-Y-6S-VOTT	8.0	.035	80	6	VOTT
G43343	HN8.0-35-120-Y-6S-VOTT	8.0	.035	120	6	VOTT

ACKNOWLEDGMENT: G. Van Schie, M.D., Radiology Department, Royal Perth Hospital, Perth, Australia.






## Beacon Tip Royal Flush Plus

HIGH-FLOW ANGIOGRAPHIC FLUSH CATHETERS

Used for high flow rate applications.

Global Product Number	Order Number	French Size	Accepts Wire Guide Diameter inch	Length cm	Tip Configuration	Spiraled Sideports
<b>Straight</b>						
G09411	HNR5.0-35-70-P-10S-O	5.0	.035	70	straight	10
G11270	HNR5.0-38-70-P-10S-O	5.0	.038	70	straight	10
<b>Pigtail</b>						
<b>Standard Pigtail</b>						
G08832	HNR5.0-35-70-P-10S-PIG	5.0	.035	70	PIG	10
G09408	HNR5.0-35-90-P-10S-PIG	5.0	.035	90	PIG	10
<b>Centra-Flo™ Pigtail</b>						
G11262	HNR5.0-35-70-P-10S-CFP	5.0	.035	70	CFP	10
G11266	HNR5.0-35-90-P-10S-CFP	5.0	.035	90	CFP	10
<b>Verrill Contralateral Flush</b>						
G12129	HNR5.0-35-65-P-8S-VCF	5.0	.035	65	VCF	8





## Beacon Tip

### ANGIOGRAPHIC CATHETERS

Used for high flow rate applications.


Global Product Number	Order Number	French Size	Accepts Wire Guide Diameter inch	Length cm	Tip Configuration
G08444	HNBR5.0-35-65-P-NS-RIM	5.0	.035	65	RIM
G08442	HNBR5.0-35-65-P-NS-C2	5.0	.035	65	C2
G08443	HNBR5.0-35-65-P-NS-C3	5.0	.035	65	C3
G09548	HNBR5.0-38-40-P-NS-KMP	5.0	.038	40	KMP
G11377	HNBR5.0-38-65-P-NS-TEGT	5.0	.038	65	TEGT
G11209	HNBR5.0-38-80-P-NS-VS	5.0	.038	80	VS



# EMBOLIZATION

Embolization coils occlude vessels that commonly contribute to Type II endoleaks.

Occlusion balloon catheters temporarily close off large vessels or expand vascular prostheses.





## Nester

### EMBOLIZATION COILS - PLATINUM

Used for arterial and venous embolization.

Global Product Number	Order Number	Recommended Catheter ID and End Hole Diameter inch	Extended Embolus Length cm	Coiled Embolus Diameter mm	Approximate Configuration	Remarks
<b>.035 inch Extended Coil Diameter</b>						
G26993	MWCE-35-14-4-NESTER	.035	14	4	11.7 loops	Supplied 1 per package.
G26994	MWCE-35-14-6-NESTER	.035	14	6	7.4 loops	Supplied 1 per package.
G26995	MWCE-35-14-8-NESTER	.035	14	8	5.6 loops	Supplied 1 per package.
G26991	MWCE-35-14-10-NESTER	.035	14	10	4.5 loops	Supplied 1 per package.
G26992	MWCE-35-14-12-NESTER	.035	14	12	3.7 loops	Supplied 1 per package.





## Tornado

### EMBOLIZATION COILS - PLATINUM

Used for embolization of selective vessel supply to arteriovenous malformations and other vascular lesions.

Global Product Number	Order Number	Recommended Catheter ID and Endhole Diameter inch	Extended Embolus Length cm	Coiled Embolus Tapering Diameter mm	Remarks
<b>.035 Inch Extended Coil Diameter</b>					
G10415	MWCE-35-5/3-TORNADO	.035	4.1	5-3	Supplied 1 per package
G10416	MWCE-35-6/3-TORNADO	.035	5.8	6-3	Supplied 1 per package
G10417	MWCE-35-7/3-TORNADO	.035	8	7-3	Supplied 1 per package
G10411	MWCE-35-8/4-TORNADO	.035	8	8-4	Supplied 1 per package
G10412	MWCE-35-8/5-TORNADO	.035	8.2	8-5	Supplied 1 per package
G10413	MWCE-35-10/5-TORNADO	.035	12.5	10-5	Supplied 1 per package





## Coda


### BALLOON CATHETERS

Used for temporary occlusion of large vessels or to expand vascular prostheses.

Global Product Number	Order Number	Catheter French Size/Length Fr/cm	Recommended Introducer French Size	Accepts Wire Guide Diameter inch	Balloon Maximum Inflated Diameter mm	Balloon Maximum Inflation Volume cc
G36042	CODA-10.0-35-100-32	10.0/100	14.0	.035	32	34
G31236	CODA-10.0-35-120-40 <sup>1</sup>	10.0/120	14.0	.035	40	40

<sup>1</sup>The 40 mm diameter balloon catheter should not be used in vessels < 24 mm in diameter.





# DILATOR SET

## Endovascular Dilator Set

Used for fascial tissue tract and vessel dilation prior to catheter introduction.

Dilators are used to pre-dilate tortuous iliac arteries, which must be surpassed in order to deliver and deploy endovascular devices. The dilators that comprise the Endovascular Dilator Set are designed with hydrophilic-coated, long tapered dilator tips that provide excellent over-the-wire trackability.

Global Product Number	Order Number	Accepts Wire Guide Diameter inch	Length cm	Remarks
G13218	JCDS-2024-EDS-HC	.035	30	SET consists of items shown above





# ACCESS NEEDLE

## Percutaneous Entry Thinwall Needle

ONE-PART

Used for vascular access.

Needle accesses arteries during endovascular aortic repair.

Global Product Number	Order Number	Gage	Length cm
G00166	SDN-18-7.0	18	7.0





[www.cookmedical.com](http://www.cookmedical.com)

**COOK MEDICAL INCORPORATED**

P.O. Box 4195, Bloomington, IN 47402-4195 U.S.A.  
Phone: 812.339.2235, Toll Free: 800.457.4500, Toll Free Fax: 800.554.8335

**COOK (CANADA) INC.**

111 Sandiford Drive, Stouffville, Ontario, L4A 7X5 CANADA  
Phone: 905.640.7110, Toll Free: 800.668.0300

**WILLIAM A. COOK AUSTRALIA PTY. LTD.**

Brisbane Technology Park, 12 Electronics Street, Eight Mile Plains  
Brisbane, QLD 4113 AUSTRALIA, Phone: +61 7 38 41 11 88

**WILLIAM COOK EUROPE ApS**

Sandet 6, DK-4632, Bjaeverskov, DENMARK, Phone: +45 56 86 86 86

© COOK 2007

AI-BM-ACC-EN-200710

AORTIC INTERVENTION

CARDIOLOGY

CRITICAL CARE

ENDOSCOPY

PERIPHERAL INTERVENTION

SURGERY

UROLOGY

WOMEN'S HEALTH